

(800) 899-0620 PersonalizedDoormats.com

Luxury Berber Logomat

SPECIFICATIONS

Luxury Berber Logomats feature your custom logo or artwork on materials welded together thermally with UV stabilized solution-dyed fibers for tough mats that are fade resistant.

- All weather Indoor / Outdoor
- 25 standard color options
- Fade Resistant Fibers
- Custom Shapes and Sizes Available
- Can be made with or without ADA rubber reducer edging
- Easy to clean hose off or sweep
- No Shrinkage during manufacturing

SURFACE

Material: Needlepunch Polypropylene/PE 100% Solution Dyed

CONSTRUCTION

Material: Pile: 185/187 inches

Weight: - 62 os/zy

Bonding / Backing Thermobonded 100% Natural Rubber

Flammability - Min US Standards



(800) 899-0620 PersonalizedDoormats.com

Design Specifications

Luxury Berber mats are produced using an inlay process, where colored material is cut and pieced together by hand before pressing into rubber. As a result, there are very strict design requirements for this product. White material should not be used as the background color or for large sections of the mat as it is difficult to keep the color clean.

Minimum Text Height: 3" (includes lower case text)

Minimum Line Thickness: 3/8"

Any space between letters or design elements must be at minimum 3/8"

The text requirements are for general use; however, special fonts and very thin letter forms may need to be made larger or thicker and will be approached on a case-by-case basis.

Gradients, tints, screens and transparencies are not supported and should not be used.

Please submit high quality logo/image files to ensure the highest print quality and accurate color matching

Acceptable
Vector Graphic Files:
AI, EPS, PDF, CDR, SVG
Image Files:
TIFF (150-921 DPI/PPI)*
JPG (150-921 DPI/PPI)*
PNG (150-921 DPI/PPI)*

^{*}For carpeted mats, 150 to 300 DPI/PPI is required. For rubber mats, a minimum of 921 DPI/PPI is required.





(800) 899-0620 PersonalizedDoormats.com

Cleaning Instructions

Luxury Berber Mats can be cleaned by vacuuming, using detergent with a neutral pH, brushing areas of concern with a soft brush, and/or rinsing with a hose.